



தமிழ்நாடு உடற்கல்வியியல் மற்றும் விளையாட்டுப் பல்கலைக்கழகம்  
**TAMIL NADU PHYSICAL EDUCATION AND SPORTS UNIVERSITY**

(Estd. by the Govt. of Tamil Nadu Under Act No.9 of 2005. A State Govt. University)

Accredited with "B+" Grade by NAAC

Website : <https://tnpesu.org>

Phone No : 044-27477906 Extn:178

Email : [reg.sec.tnpesu@gmail.com](mailto:reg.sec.tnpesu@gmail.com)

Vandalur - Kelambakkam Road, Melakottaiyur Post, Chennai - 600 127. Tamil Nadu. India

**Dr.I.Lilly Pushpam**  
Registrar

Dated.17.03.2026

**Corrigendum Extension of Tender Submission date, Time and Specification of**  
**GYM Equipment**

**Sub** : TNPESU – Corrigendum – Extension of Tender submission date, time and specification of GYM Equipment to the University for setting up of Gym - Two Bids covering system – Order requested – Reg.

**Ref** : Tender No.4054/R5/TNPESU/Gym Equipments/2026, Notification date.  
01.02.2026.

\*\*\*\*\*

This is to inform to all bidders that, the last date and time for bids submission for the Purchase of GYM Equipment to this University. The details of the date of extension and specifications of the equipment are given below.

Sl. No.	Bid Submission last date and time	Extended last date and time
1	27.02.2026 (Friday) at 2.00 p.m	25.03.2026 (Wednesday) at 2.00 p.m

<b><u>Name of the Equipment with specifications</u></b>			
Sl. No.	Name of the Equipment	Specification	Qty
1.	Multigym 24 stations	Multi Station( 8 Wegith Stack) Rectangular Tube 2.8mm Thik 100x50 And 50x50mm, Nylon Pully 105mm With M olded Bearing, 20mm Harden Shapt Guide Rod, Ms Weig ht Stack With Nylon Bushing, High Tensile 5mm Cable Rope, Well Designed Kemp With Laser Work, Co2 Welded Equipments, High Density Foam And Heavy Duty Uppolstry F or Seat, Nickel Crome Plating Used To Enhance/Durabilit y Certain Ms Parts, Unique Powder Cotting Colour	2 Nos
2.	Multigym 20 stations	Smith Machine/Functional Trainer (2 Weight Stack) Rect angular Tube 2.8mm Thik 100x50mm, 30mm Harden S hapt Rod With Sb30 Super Ball Bearing(Korea), Well Fou r Plate Rack 48mm Ss Pipe, Laser Ms Cover, Co2 Weld ed Equipments, Nickel Crome Plating Used To Enhance Look/Durablity Certain Ms Parts,Unique Powder Cotting C olour And Multi Station ( 4 Wegith Stack) Rectangular Tube 2.8mm Thik 100x50 And 50x50mm, Nylon Pully 105mm With Molded Bearing , 20mm Harden Shapt Guide Rod, Ms Weight Stack With Nylon Bushing, High Tensile 5mm Cable Rope,	2 Nos

		Well Designed Kemp With Laser Work, Co2 Welded Equipments, High Density Foam And Heavy Duty Uppolstry Floor Seat, Nickel Chrome Plating Used To Enhance/Durability Certain Ms Parts, Unique Powder Coating Colour	
3.	Stepper	Durable ABS/plastic construction with non-slip surfaces, adjustable heights and load capacities ranging from 100kg to over 300kg.	2 Nos
4.	Bench Press	Benches are heavy-duty, adjustable weight benches designed for versatile strength training (flat, incline, decline, shoulder press). Key specs typically include a 300kg (660+ lbs) weight capacity, 2.5mm thick steel construction, multi-angle adjustments (approx. 7 levels), and a footprint of roughly 120-150cm length by 50-70cm width	2 Nos
5.	Hip Rotator	Hip rotator machines (rotary hip trainers) are commercial-grade, selectorized strength equipment designed for isolating the hip abductors and rotators. Common specs include a stainless steel frame, a	2 Nos
6.	Circuit trainer	Structure: Heavy-duty powder-coated steel modular frame with multi-post stability. Upper Section: Full-length Monkey Bar rack for climbing and grip strength. Boxing Station: Integrated heavy-duty swivel mount for a Boxing/Punching Bag. Conditioning Station: Ground-level anchor points specifically for Battle Rope attachments	1 Nos
7.	Treadmill – Type 1	Aluminum side frame & rails. AC Motor 5 HP continuous (10 HP peak ) Speed 1- 20kmph Elevator motor with ½ hp with incline level of 0 to 20% 19 Inch Led display shows Speed, time, distance, calories, heart rate, Incline, direct control of speed & incline on console. Thickness of running belt 3 mm with durable quality. Thickness of running board is 25 mm with great shock Absorber. Running area: 620*1580MM Max user weight: 200 KG. Machine covered area : 2050*950*1600MM Net weight 176kg, Gross weight 222 kg.	2 Nos
8.	Treadmill – Type – 3	AC Motor 4 HP continuous (8 HP peak ) Speed 1- 20kmph Elevator motor with ½ hp with incline level of 0 to 20% Led display shows Speed ,time, distance, calories, heart rate, Incline, Thickness of running belt 3 mm (size 3325mm*558mm) with durable quality. Thickness of running board is 25 mm with great shock Absorber. Running area 558*1420 MM Max user weight : 200 KG. Machine covered area : 2050*950*1600MM Net weight190 kgs,Gross weight 215kgs.	2 Nos
9.	Treadmill – curve	Speed 1- 20 Kmph Break mode magnet resistance adjustment. Max user weight : 180 KG. Machine covered area : 1850*1050*650mm Net weight 155 kgs, Gross weight 175 kgs.	2 Nos
10.	Kettle bell	IRON BALL KETTLEBELL - (2,4,6 x 3pcs,8,10,12x 2pcs)KG	15 Nos
11.	Medicine ball rack	Dimension: 650 x 480 x 1355h mm, WEIGHT - 18 KG, MAX Load :300 kg	1 Nos
12.	Uprights Bike ergometer	Upright Ergometer Bike ;Size:111*56 *148 cm packing size: 143*62* 77 * cm Net weight 65 kg, Gross weight 85 kg Display : Speed/Time /Distance/ Calories/ Heart rate Max user weight 150 Kg	2 Nos
13.	Round Rubber dumbbells	Featuring a durable rubber-encased, solid iron core, and a knurled chrome handle for improved grip. They are commonly available in weight increments ranging from 2.5 kg to 50 kg	1 Set

14.	Gym ball 55cm	Model Number. Gym Ball 55 Cms With Pump Swiss Ball Birthing Ball Pregnancy Ball Exercise Ball · Contains Pump. Yes · Diameter. 55 cm	1 Nos
15.	Gym ball 65cm	Model Number. Gym Ball 65 Cms With Pump Swiss Ball Birthing Ball Pregnancy Ball Exercise Ball · Contains Pump. Yes · Diameter. 65 cm	1 Nos
16.	Gym ball 75cm	Model Number. Gym Ball 75 Cms With Pump Swiss Ball Birthing Ball Pregnancy Ball Exercise Ball · Contains Pump. Yes · Diameter. 75 cm	1 Nos
17.	Dumbbell rack	84"x26"x43"(LxWxH)	1 Nos
18.	Plate rack	Dimensions : 28" (W) x 24" (D) x 54" (H) ; Color : Powder coat finish ; Application : The Vertical design of the rack makes it much easier	1 Nos
19.	Indian club bell	Indian Clubbells (Mudgar) are traditional, cylindrical, or tapered wooden fitness tools used for strength and mobility training. Typically crafted from durable, seasoned wood like Sheesham or Babool, they feature a balanced, polished design with weights 5 kg, often measuring 25–30 inches in height	1 Nos
20.	Indian club bell	Indian Clubbells (Mudgar) are traditional, cylindrical, or tapered wooden fitness tools used for strength and mobility training. Typically crafted from durable, seasoned wood like Sheesham or Babool, they feature a balanced, polished design with weights 8 kg, often measuring 25–30 inches in height	1 Nos
21.	Push up stand	Eva Foam, Polyvinyl Chloride (PVC),20L x 10.5W x 11.5H Centimeters,20L x 10.5W x 11.5H Centimeters	1 Nos
22.	Measurement scale	Digital Scale For Measurement Heavy	1 Nos
23.	Multipurpose foldable fitness mat	Heavy Foam Material	1 Nos
24.	Elliptical Cross Trainer	Self generating electricity Resistance adjustable level 16 Functions Display: Step, Distance,, time, calories, heart rates, intensity, program Display panel size:250x220x36 mm Screen size: 140x80 mm Output voltage 220 v Max user weight 200 kgs. Product size: 2150*720*1900 mm. Net weight 120kgs, Gross weight 155 kgs	2 Nos
25.	Elliptical Cross Trainer	Self generating electricity Resistance adjustable level Functions Display: Step, Distance,, time, calories, heart rates, intensity, program Out put voltage 220 v Max user weight 180 kgs. Product size: 2170* 600*1680mm. Net weight 113 kgs ,Gross weight 125 kgs	2 Nos
26.	5mm mirror glass	5MM Saint Gobain Glass	2 Nos
27.	RO Drinking Water	Ro Drinking Water Dispenser 50 Liter	2 Nos
28.	Shoe Stand	5 Stepper Level Rack	1 Nos
29.	Weight Lifting Set	(190KG X 3) (BIG PLATE 5KG, 10KG, 15KG, 20KG, 25KG) SMALL PLATE - (0.5 KG,1 KG, 1.5 KG, 2 KG, 2.5 KG)	3 Nos
30.	Weight Lifting Platform	Extra heavy duty platform · Platform size is 8'x4' ·	2 Nos
31.	Power Lifting Equipment's Barbells, Weight Plates, Collars, Chalk, Beit, Knee Sleeves & Wrist Wraps	Olympic plates (50mm center hole), typically come in 1.25, 2.5, 5, 10, 15, 20, and 25 kg, or 2.5, 5, 10, 25, 35, and 45 lbs, with 45 lb/20 kg/25 kg plates being standard for creating the proper bar height. Standard Olympic plates are usually 45 cm in diameter.	3 Nos

32.	Weight Lifting and Power Lifting Stand	Training Purpose, Strength Training Equipment , weight lifting and power lifting stand for Home Gym Purpose   BLP 105; Dimensions : 42" (W) x 54" (D) x 90" (H); Color : Powder	5 Nos
33.	Butterfly press	Butterfly press machines (Pec Fly) generally feature heavy-duty steel construction, weighing between 97kg and 235kg, with a 100kg+ weight stack. Typical dimensions are roughly 60"x67"x80" (LxWxH), featuring adjustable PU leather seats, powder-coated frames, and nylon-covered cables for chest/pec isolation.	2 Nos
34.	Recumbent bike commercial	Size:161*68*90 cm packing size: 172*68 *91 cm Net weight 90 kg, Gross weight 110 kg Display : Speed/Time /Distance/ Calories/ Heart rate Max user weight 200 Kg	2 Nos
35.	Gym hall Rubber Mat Flooring 2500 sqft	Rubber Mat 10 mm	1 Nos
36.	2 ton AC	2 Ton On Branded With Stabilizer And Fittings	4 Nos
37.	Gymnastic Mat (sqft)	Heavy Foam Material 3 Inch Thickness, Size 6 X 3	1 Nos
38.	Gym hall fall Ceiling with Lighting	General Top Class	1 Nos
39.	Side oblique stepper	6 INCH , 12 INCH, 18 INCH, 24 INCH	2 Nos
40.	Arc trainer	Self Power Generated System , Weight - 160 Kg Capacity, Dimensions - 30' W X 60 'L X 65 'H	2 Nos
41.	Spider bike	Back Support – No Max User Weight – 120 kg Foldability - Non-Foldable Display Show - Time, Speed, Distance	2 Nos

All ready mentioned in the SI.No.35 related purchase of gym hall wooden flooring 1500 sqft is changed, for which Rubber mat 10 mm referred by the University. The opening of the bid will be on 25.03.2026 (Wednesday) at 2.00 p.m. All the other terms and Conditions and other equipment of the tender document will remain unchanged. The University has rights to accept any tender in full or in part or reject any tender without assigning any reason is reserved.

Further, it is informed that the **previous work order value shall be more than 50 Lakhs** and also the bidders are requested to quote the rate accordingly.

  
Registrar  
17/03/26